

RC283: Tetraethylthiuram disulphide CAS#: 97-77-8

Patient Information

Your patch test result indicates that you have a contact allergy to tetraethylthiuram disulphide. This contact allergy may cause your skin to react when it is exposed to this substance although it may take several days for the symptoms to appear. Typical symptoms include redness, swelling, itching, and fluid-filled blisters.

Where is tetraethylthiuram disulphide found?

This substance is found in drugs used to support the treatment of chronic alcoholism by producing an acute sensitivity to alcohol.

How can you avoid contact with tetraethylthiuram disulphide?

Avoid products that list any of the following names in the ingredients:

- 1,1'-Dithiobis(N,Ndiethylthioformamide)
- AI3-27340
- Abstensil
- Abstensyl (Argentina)
- Abstinil
- Abstinyl
- Accel TET
- Accel TET-R
- Alcophobin
- Alk-aubs
- Antabus
- Antabuse
- Antadix
- Antaenyl
- Antaethyl
- Antaetil
- Antalcol
- Antetan
- Antetil
- Antevl
- Anti-ethyl
- Antiaethan
- Anticol
- Antietanol
- Antietil

- Antikol
- Antivitium
- Antivitium (Spain)
- Aversan
- Averzan
- Bis((diethylamino)thioxomethyl) disulfide
- Bis((diethylamino)thioxomethyl)disul phide
- Bis(N,N-diethylthiocarbamoyl) disulfide
- Bis(N,N
 - diethylthiocarbamoyl)disulphide
- Bis(diethylthiocarbamoyl) disulfide
- Bis(diethylthiocarbamoyl)disulphide
- Bonibal
- CCRIS 582
- Contralin
- Contrapot
- Cronetal
- Dicupral
- DisapireDisetil
- Disulfan
- Disulfiram
- Disulfirame
- Disulfirame [DCIT]

- Disulfiramo
- Disulfiramo [INN-Spanish]
- Disulfiramum
- Disulfiramum [INN-Latin]
- Dupon 4472
- Dupont fungicide 4472
- EINECS 202-607-8
- ENT 27,340
- Ekagom DTET
- Ekagom TEDS
- Ekagom TETDS
- Ephorran
- Esperal
- Esperal [France]
- Etabus
- Ethyl TUEX
- Ethyl thiram
- Ethyl thiurad
- Ethyl tuads
- Ethyldithiourame
- Ethyldithiurame
- Exhorran
- Formamide, 1,1'-dithiobis(N,N-diethylthio-
- HOCA
- HSDB 3317
- Hocakrotenalnci-C02959
- Krotenal
- N,N,N',N'-Tetraethylthiuram disulfide
- N,N,N',N'-Tetraethylthiuram disulphide
- NCI-C02959
- NSC 190940
- NSC 25953
- Nocbin
- Nocceler TET
- Nocceler TET-G
- Noxal

- Noxal (VAN)
- Refusal
- Refusal [Netherlands]
- Ro-Sulfiram
- Ro-Sulfram-500 (USA)
- Sanceler TET
- Sanceler TET-G
- Soxinol TET
- Stopetyl
- TATD
- TETD
- TTD
- TTS [Alcohol deterrent]
- Tenurid
- Tenutex
- Tetidis
- Tetradine
- Tetraethylthioperoxydicarbonicdiami de
- Tetraethylthiram disulfide
- Tetraethylthiram disulphide
- Tetraethylthiuram disulfide
- Tetraethylthiuram disulphide
- Tetraethylthiuran disulfide
- Tetraethylthiurium disulfide
- Tetraetil
- Teturam
- Teturamin
- Thioperoxydicarbonic diamide
- ((H2N)C(S))2S2, tetraethyl-
- Thiosan
- Thioscabin
- Thiuram E
- Thiuram disulfide, tetraethyl-
- Thiuranide
- Tiuram
- Tuads, ethyl
- USAF B-33

What are some products that may contain tetraethylthiuram disulphide? Medications

*For additional information about products that might contain **tetraethylthiuram disulphide**, go to the Household Product Database online (http://householdproducts.nlm.nih.gov) at the United States National Library of Medicine. These lists are brief and provide just a few examples. They are not comprehensive. Product formulations also change frequently. Read product labels carefully and talk to your doctor if you have any questions. These are general guidelines. Talk to your doctor for more specific instructions.

