

the art and science of smart patch testing[™]

PG313: Triethylenetetramine CAS#: 112-24-3 112-24-3

Patient Information

Your patch test result indicates that you have a contact allergy to triethylenetetramine. This contact allergy may cause your skin to react when it is exposed to this substance although it may take several days for the symptoms to appear. Typical symptoms include redness, swelling, itching, and fluid-filled blisters.

Where is triethlenetetramine found?

Triethlenetetramine is used in the manufacture of pesticides and fungicides, textiles, auxiliaries, paints and adhesives, drug intermediates, paper, petroleum additives, rubber chemicals, and plastics.

How can you avoid contact with triethelentetramine?

Avoid products that list any of the following names in the ingredients:

- 1,2-Ethanediamine, N,N'-bis(2aminoethyl)-
- 1,4,7,10-Tetraazadecane
- 1,8-Diamino-3,6-diazaoctane
- 3,6-Diazaoctane-1,8-diamine
- 4-04-00-01242 (Beilstein Handbook Reference)
- AI3-24384
- Araldite HY 951
- Araldite hardener HY 951
- BRN 0605448
- CCRIS 6279
- DEH 24
- EINECS 203-950-6
- Ethylenediamine, N,N'-bis(2 aminoethyl)-
- HSDB 1002
- HY 951

- N,N'-Bis(2-aminoethyl)-1,2 ethanediamine
- N,N'-Bis(2-aminoethyl)ethylenediamine
- N,N-Bis(2-aminoethyl)-1,2diaminoethane
- NSC 443
- TETA
- Tecza
- Tomography, x-ray computed trientine
- Trien
- Trientina
- Trientina [INN-Spanish]
- Trientine
- Trientinum
- Trientinum [INN-Latin]
- Triethylenetetramine
- What are some products that may contain trietheletetramine? Adhesives

Painting Inks

Paper Products

Plastic Packaging

Pesticides

<u>Textiles</u>

*For additional information about products that might contain **trietheletetramine**, go to the Household Product Database online (http:/householdproducts.nlm.nih.gov) at the United States National Library of Medicine. These lists are brief and provide just a few examples. They are not comprehensive. Product formulations also change frequently. Read product labels carefully and talk to your doctor if you have any questions. These are general guidelines. Talk to your doctor for more specific instructions.

